

Module Application of Second order ODE

Application of 2nd order DE

Analyze motion of object attached spring.




그림 1

Equilibrium position




그림 2

$y(t)$ = displacement

total force = $mg - kd - ky = 0 - ky$

$\begin{cases} \text{air resistance} \\ \text{or viscosity of the medium} \end{cases} \Rightarrow \begin{matrix} \text{retarding force} \\ \Downarrow \\ \text{damping term} \end{matrix}$

$$F = -ky - cy'$$

Deriving force of magnitude $f(t)$.

$$F = -ky - cy' + f(t)$$

$$my'' = -ky - cy' + f(t)$$

$$y'' + \frac{k}{m}y' + \frac{y}{m} = f(t)$$

1) Unforced motion. (자유운동)

$$f = 0$$

$$y'' + \frac{c}{m}y' + \frac{k}{m}y = 0$$

$$\lambda^2 + \frac{c}{m}\lambda + \frac{k}{m} = 0$$

$$\lambda = -\frac{c}{2m} \pm \frac{1}{2m} \sqrt{c^2 - 4km}$$

Case 1. $c^2 - 4km > 0$, λ_1, λ_2 (과잉 감쇠)

$$y(t) = C_1 e^{\lambda_1 t} + C_2 e^{\lambda_2 t}$$

$$\lambda_2 < 0 \quad \lambda_1 = -\frac{c}{2m} + \frac{1}{2m} \sqrt{c^2 - 4km}$$

$$\sqrt{c^2 - 4km} < c$$

$$\Rightarrow -c + \sqrt{c^2 - 4km} < 0$$

$$\lambda_1 < 0 \quad \lim_{t \rightarrow \infty} y(t) = 0$$

Called "Over-damping."

Case 2. $c^2 - 4km = 0$ (Critical damping), (임계 감쇠)

$$\lambda = -\frac{c}{2m}$$

$$y = e^{-\frac{c}{2m}t}, te^{-\frac{c}{2m}t}$$

$$y = (C_1 + C_2 t)e^{-\frac{c}{2m}t}$$

$$\text{IC: } y(0) = -4, y'(0) = 5$$

$$-4 = C_1$$

$$5 = (C_2 - \frac{c}{2m}(-C_1))$$

$$= C_2 + \frac{c}{2m}C_1$$

$$c = 2, m = 1, k = 1$$

$$C_2 = 5 - 4 = 1$$

$$y = (-4 + t)e^{-t}$$

$$\lim_{t \rightarrow 0} (-4 + t)e^{-t} = 0$$




그림 3




그림 4

The object passes through the equilibrium point exactly once.

Case 3. $c^2 - 4km < 0$ (under damping), (부족감쇠)

$$\lambda = -\frac{c}{2m} \pm \frac{i}{2m} \sqrt{4km - c^2}$$

$$= -\frac{2}{2m} \pm i\beta$$

$$y = e^{-\frac{c}{2m}t} \cos(\beta t), e^{-\frac{c}{2m}t} \sin(\beta t)$$

$$y = e^{-\frac{c}{2m}t} [C_1 \cos(\beta t) + C_2 \sin(\beta t)]$$

$$\lim_{t \rightarrow \infty} y(t) = 0$$

Ex)

$$c = k = 2, m = 1$$

$$\beta = \frac{1}{2} \sqrt{8 - 4} = 1$$

$$y(0) = -3, \quad y'(0) = 2$$

$$y(t) = -e^{-t} (3 \cos t + \sin t)$$




그림 5

$$\cos \delta = \frac{3}{\sqrt{10}}, \quad \sin \delta = \frac{1}{\sqrt{10}}$$

$$3 \cos t + \sin t = \sqrt{10} (\cos \delta \cos t + \sin t \sin \delta) \\ = \sqrt{10} \cos(t - \delta)$$




그림 6

$$\arctan \frac{1}{3} = \delta$$

$$y = -\sqrt{10} e^{-t} \cos(t - \delta)$$




그림 7

Harmonic Oscillation (조화진동)

$$my'' + ky = 0, \quad c = 0 \quad (\text{no damping})$$

$$mr^2 + k = 0 \quad r^2 + \frac{k}{m} = 0 \quad r = \pm \sqrt{\frac{k}{m}} i$$

$$y = C_1 \cos \sqrt{\frac{k}{m}} t + C_2 \sin \sqrt{\frac{k}{m}} t$$

Set $\omega = \sqrt{\frac{k}{m}}$ natural frequency

$$\text{Period } \omega T = 2\pi \quad T = \frac{2\pi}{\omega}$$




그림 8

$$y_1 = A(\cos \delta \cos(\omega t) + \sin \delta \sin(\omega t)) \\ = A \cos(\omega t - \delta)$$

A, B Determined by initial conditions.

Damped Oscillation (감쇠진동)

$$my'' + cy' + ky = 0, \quad c \neq 0$$

$$mr'' + cr + k = 0 \quad k = \frac{-c \pm \sqrt{c^2 - 4km}}{2m}$$

$$c^2 - 4km < 0 \quad r = -\frac{c}{2m} \pm i\mu$$

$$\mu = \frac{\sqrt{4km - c^2}}{2m}$$

$$y = e^{-\frac{c}{2m}t} (C_1 \cos(\mu t) + C_2 \sin(\mu t))$$

$$\begin{aligned}
\mu &= \frac{1}{2m} \sqrt{4km - c^2} \\
&= \sqrt{\frac{4km}{4m^2} - \frac{c^2}{4m^2}} \\
&= \sqrt{\frac{k}{m} - \frac{1}{4} \left(\frac{c}{m}\right)^2} \quad \frac{k}{m} = \omega_0^2 \\
&= \left[\omega_0^2 - \left(\frac{c}{2m}\right)^2 \right]^{\frac{1}{2}} \\
&= \omega_0 \left[1 - \left(\frac{c}{2m\omega_0}\right)^2 \right]^{\frac{1}{2}}
\end{aligned}$$

Use $(1+t)^{\frac{1}{2}} \approx 1 + \frac{1}{2}t$ when $t \ll 1$

$$\mu \approx \omega_0 \left[1 - \frac{1}{2} \left(\frac{c}{2m\omega_0} \right)^2 \right]$$

↳ quasi frequency (준진동수)

$$T_d = \frac{2\pi}{\mu} \text{ Quasi period (준주기)}$$

$$T_d > T$$

Ex) Overdamping case.

$$\begin{aligned}
c &= 6, k = 5, m = 1 \\
c^2 - 4km &= 36 - 20 > 0 \\
\lambda^2 + 6\lambda + 5 &= (\lambda + 5)(\lambda + 1) = 0 \quad \lambda = -1, -5 \\
y &= C_1 e^{-5t} + C_2 e^{-t} \\
y(0) &= -4 \\
y'(0) &= 0 \\
-4 &= C_1 + C_2 \\
0 &= -5C_1 - C_2 \\
-4 &= -4C_1 \quad C_1 = 1, \quad C_2 = -5 \\
y &= e^{-5t} - 5e^{-t} \\
&= e^{-t} (-5 + e^{-4t}) < 0
\end{aligned}$$

The object remarks below the equilibrium point.

Ex)

$$\begin{aligned}
\frac{c}{2m} &= 1 \\
c^2 - 4km &= 0 \Rightarrow m = k \\
y &= (C_1 + C_2 t) e^{-t}
\end{aligned}$$

Case $\frac{C_1}{C_2}$ has positive sign.

$$y = -(1+t)e^{-t}$$

$$y = (t+1)e^{-(t+1)} = e^{-1}(1+t)e^{-t}$$




그림 9




그림 10

$$\begin{aligned} y(0) &= C_1 \\ y'(0) &= C_2 - C_1 \quad C_2 = y(0) + y'(0) \\ y &= (y(0) + (y(0) + y'(0))t)e^{-t} \\ y(0) &= -1 \text{ Not pass rest position} \\ y'(0) &= -1 \end{aligned}$$

2) Forced motion. (강제운동)

Periodic driving force $f = \cos(\omega t) \Rightarrow$ resonance & beats \Rightarrow analogy with an electric circuit

$$y'' + \frac{c}{m}y' + \frac{k}{m}y = \frac{A}{m}\cos(\omega t)$$

Periodic driving force.

$$y_p = a\cos(\omega t) + b\sin(\omega t)$$

Ex)

$$\begin{aligned} c = 6, k = 5, m = 1 & \qquad A = 6\sqrt{5}, \omega = \sqrt{5} \\ c^2 - 4km = 35 - 4 \cdot 5 & > 0 \end{aligned}$$

Over damped.

$$y'' + 6y' + 5y = 6\sqrt{5} \cos(\sqrt{5}t)$$

$$\begin{cases} y(0) = 0 \\ y'(0) = 0 \end{cases}$$

$$\lambda^2 + 6\lambda + 5 = (\lambda + 5)(\lambda + 1)$$

특수해의 후보는 $y_p = a\cos(\sqrt{5}t) + b\sin(\sqrt{5}t)$

$$y_p' = \sqrt{5}(-a\sin(\sqrt{5}t) + b\cos(\sqrt{5}t))$$

$$y_p'' = 5(-a\cos(\sqrt{5}t) - b\sin(\sqrt{5}t))$$

특수해의 후보를 미분방정식에 대입하면

$$\begin{aligned} & (\sqrt{5}b - 5a)\cos(\sqrt{5}t) - (5b + \sqrt{5}a)\sin(\sqrt{5}t) \\ & = 6\sqrt{5}\cos(\sqrt{5}t) \end{aligned}$$

$$(-5a + 6\sqrt{5}b + 5a)\cos(\sqrt{5}t) + (-5b - 6\sqrt{5}a + 5b)\sin(\sqrt{5}t) = 6\sqrt{5}\cos(\sqrt{5}t)$$

$$6\sqrt{5}b = 6\sqrt{5} \quad -6\sqrt{5}a = 0 \quad b = 1, a = 0$$

$$y_p = \sin(\sqrt{5}t)$$

$$\begin{aligned} y &= C_1 e^{-5t} + C_2 e^{-t} + \sin(\sqrt{5}t) \\ &= (\text{transient}) + (\text{steady state}) \end{aligned}$$




그림 11

Forced motion with damping.

Ex)

$$y'' + y' + 1.25y = 3\cos t$$

$$1 + \frac{1}{4} = \frac{5}{4}$$

$$m = 1, A = 3, k = \frac{5}{4}, c = 1$$

$$c^2 - 4km = 1 - 4 \cdot \frac{5}{4} = 1 - 5 < 0$$

$$\lambda^2 + \lambda + \frac{5}{4} = 0$$

$$(\lambda + \frac{1}{2})^2 = -1, \quad \lambda + \frac{1}{2} = \pm i, \quad \lambda = -\frac{1}{2} \pm i$$

$$\begin{aligned}
y &= e^{-\frac{1}{2}t} (C_1 \cos t + C_2 \sin t) \\
y_p &= a \cos t + b \sin t \\
y_p' &= -a \sin t + b \cos t \\
y_p'' &= -a \cos t - b \sin t \\
y_p'' + y_p' + \frac{5}{4}y_p &= (-a + b + \frac{5}{4}a) \cos t + (-b - a + \frac{5}{4}b) \sin t = 3 \cos t \\
\frac{1}{4}a + b &= 3 \quad a + 4b = 12 \\
-a + \frac{1}{4}b &= 0 \quad (4 + \frac{1}{4})b = 12 \quad b = \frac{48}{17} \\
a &= \frac{1}{4} \cdot \frac{48}{17} = \frac{12}{17} \\
y_p &= \frac{12}{17} \cos t + \frac{48}{17} \sin t \\
y &= e^{-\frac{1}{2}t} (C_1 \cos t + C_2 \sin t) + y_p \\
\begin{cases} y(0) = 2 \\ y'(0) = 3 \end{cases} \Rightarrow C_1 = \frac{12}{17}, C_2 = \frac{14}{17}
\end{aligned}$$




그림 12

Amplitude of steady state.

$$\frac{12}{17}(\cos t + 4 \sin t) = \frac{12}{\sqrt{17}} \cos(t - \delta)$$




그림 13

$$\tan\delta = 4$$

$$\begin{aligned}\frac{12}{\sqrt{17}} &= \frac{12}{\sqrt{16+1}} = \frac{12}{4\sqrt{1+\frac{1}{16}}} = 3\left(1 + \frac{1}{16}\right)^{-\frac{1}{2}} \\ &\approx 3\left(1 - \frac{1}{32}\right) \\ &\approx 3 \times \frac{31}{32}\end{aligned}$$

3 = Amplitude of external force

$$\begin{aligned}my'' + cy' + ky &= F_0 \cos(\omega t) \\ y &= C_1 y_1 + C_2 y_2 + A \cos(\omega t) + B \sin(\omega t) \\ S(t) &= F_0(A' \cos(\omega t) + B' \sin(\omega t)) = R \cos(\omega t - \delta) \\ R &= F_0 \sqrt{A^2 + B^2} \\ \frac{R}{F_0} &= \frac{1}{\sqrt{m^2(\omega_0^2 - \omega^2) + c^2\omega^2}} \\ &= \frac{1}{k \left[\left(1 - \frac{\omega^2}{\omega_0^2}\right)^2 + \frac{c^2}{mk} \frac{\omega^2}{\omega_0^2} \right]^{\frac{1}{2}}} \\ \frac{Rk}{F_0} &= \frac{1}{\left[\left(1 - \frac{\omega^2}{\omega_0^2}\right)^2 + \frac{c^2}{mk} \frac{\omega^2}{\omega_0^2} \right]^{\frac{1}{2}}} \\ \Gamma &= \frac{c^2}{mk} \ll 1, \quad \frac{\omega}{\omega_0} \rightarrow 1 \quad \text{blow up}\end{aligned}$$




그림 14

F_0 에 곱해지는 Amplitude \Rightarrow Resonance

Γ 이 c 가 작을 때 작아진다.

* Analogy with an electric circuit.

R : Resistance

L : Inductance

C : Capacitance

$E(t)$: Eletromotive force

$$E(t) = L i'(t) + R i(t) + \frac{1}{C} q(t)$$

$$i = q'$$

$$E(t) = L q''(t) + R q'(t) + \frac{1}{C} q(t)$$

$$q'' + \frac{R}{L} q' + \frac{1}{LC} q = \frac{1}{L} E$$




그림 15

Mass $\leftrightarrow L$

Damping constant $\leftrightarrow R$

Spring constant $\leftrightarrow \frac{1}{C}$

Driving force $\leftrightarrow E$

$$y'' + \frac{c}{m} y' + \frac{k}{m} y = \frac{1}{m} f$$

Ex)

$$E(t) = 17 \sin(2t)$$

$$i(t) = ?$$

$$\begin{cases} q(0) = \frac{1}{2000} \\ q'(0) = i(0) = 0 \end{cases}$$

$$L q'' + R q' + \frac{q}{C} = E$$

$$10q'' + 120q' + 10^3 q = 17 \sin(2t)$$




그림 16

$$q'' + 12q' + 10^3 q = \frac{17}{10} \sin(2t)$$

$$\lambda^2 + 12\lambda + 100 = 0$$

$$\begin{aligned} \lambda &= \frac{-12 \pm \sqrt{12^2 - 4 \cdot 100}}{2} \\ &= -6 \pm \sqrt{36 - 100} \\ &= -6 \pm 8i \end{aligned}$$

$$q(t) = e^{-6t} (C_1 \cos(8t) + C_2 \sin(8t)) + q_0$$

$$\begin{aligned}
q_0 &= a \cos(2t) + b \sin(2t) \\
-4a \cos(2t) - 4b \sin(2t) + 12(-2a \sin(2t) + 2b \cos(2t)) + 100(a \cos(2t) + b \sin(2t)) &= 1.7 \sin(2t) \\
-4a + 24b + 100a &= 0 \quad 96a + 24b = 0 \\
-4b - 24a + 100b &= 1.7 \quad -24a + 96b = 1.7 \\
4a + b &= 0 \\
-a + 4b &= \frac{1.7}{24} \\
17b &= \frac{1.7}{6} \quad b = \frac{1}{60} \\
a &= -\frac{1}{240} \\
q_0 &= -\frac{1}{240} \cos(2t) + \frac{1}{60} \sin(2t) \\
q(0) &= C_1 - \frac{1}{240} = \frac{1}{2000} \\
q'(0) &= -6C_1 + 8C_2 + \frac{1}{30} = 0 \\
C_1 &= \frac{1}{2400} + \frac{1}{2000} = \left(\frac{1}{24} + \frac{1}{200}\right)\frac{1}{10} \\
C_1 &= \frac{14}{3000} = \frac{7}{1500}, \quad C_2 = -\frac{1}{1500} \\
i(t) = q'(t) &= -\frac{\sqrt{2}}{30} e^{-6t} \sin(8t + \frac{\pi}{4}) + \frac{\sqrt{17}}{120} \sin(2t + \alpha) \\
q(t) &= \frac{1}{1500} e^{-6t} [7 \cos(8t) - \sin(8t)] + \frac{1}{240} [-\cos(2t) + 4 \sin(2t)] \\
i(t) = q'(t) &= -\frac{1}{30} e^{-6t} [\cos(8t) + \sin(8t)] + \frac{1}{120} [4 \cos(2t) + \sin(2t)]
\end{aligned}$$




그림 17